WEST

Freeform Search

Database:
```
US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Term:
```
web near5 map$1
```

Display: `10` Documents in **Display Format:** `_____` **Starting with Number** `1`

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Image**

| Search | Clear | Help | Logout | Interrupt |

| Main Menu | Show S Numbers | Edit S Numbers | Preferences |

Search History

Today's Date: 9/12/2000

DB Name	Query	Hit Count	Set Name
USPT	web near5 map$1	111	L60
USPT	l58 and (www or internet or web)	0	L59
USPT	5559707.pn.	1	L58
USPT	5802492.pn.	1	L57
USPT	mapquest	3	L56
USPT	5602991.pn.	1	L55
USPT	5543789.pn.	1	L54
USPT	5559707.pn.	1	L53
USPT	5682525.pn.	1	L52
USPT	5638523.pn.	1	L51
USPT	5737533.pn.	1	L50
USPT	5802492.pn.	1	L49

WEST

☐ Generate Collection

L6: Entry 54 of 72   File: JPAB   Oct 15, 1999

PUB-NO: JP411282865A
DOCUMENT-IDENTIFIER: JP 11282865 A
TITLE: MAP INFORMATION PROCESSING SYSTEM

PUBN-DATE: October 15, 1999

INVENTOR-INFORMATION:

NAME	COUNTRY
YANO, TOSHINOBU	N/A
ISHII, AKIRA	N/A
KIRIO, MICHIHIRO	N/A

ASSIGNEE-INFORMATION:

NAME	COUNTRY
HITACHI SOFTWARE ENG CO LTD	N/A

APPL-NO: JP10084838
APPL-DATE: March 31, 1998

INT-CL (IPC): G06F 17/30; G06T 1/00; G09B 29/00

ABSTRACT:

PROBLEM TO BE SOLVED: To perform fast scroll and zoom of map data by asynchronously performing receiving, expansion, display and operation of map data with a WW W browser at the time of transferring the map data from a WWW server.

SOLUTION: A map data producing part 3 divides map data extracted from a map database 4 into a prescribed unit according to a retrieval request of map data transmitted from a map data operating part 7 on a WWW browser 6 and transmits it together with a data transmission notice to a map data asynchronous communicating part 8. The part 8 stores the transmitted map data on a memory. After that, a map data asynchronous expanding part 9 converts the stored map data into a displayable format, stores it in an expansion data table on the memory and sends a data expansion notice to a map data displaying part 10. The part 10 displays the map data of the expansion data table on a graphic display.

WEST

L6: Entry 56 of 72   File: JPAB   Jun 18, 1999

PUB-NO: JP411161155A
DOCUMENT-IDENTIFIER: JP 11161155 A
TITLE: METHOD AND SYSTEM FOR MAP INFORMATION GUIDANCE AND STORAGE
MEDIUM WHERE MAP INFORMATION GUIDANCE PROGRAM IS STORED

PUBN-DATE: June 18, 1999

INVENTOR-INFORMATION:

NAME	COUNTRY
FUJITA, SOICHIRO	N/A
SHIMADA, MASANORI	N/A
HORIE, FUMIO	N/A

ASSIGNEE-INFORMATION:

NAME	COUNTRY
FUJITSU LTD	N/A

APPL-NO: JP09328403
APPL-DATE: November 28, 1997

INT-CL (IPC): G09B 29/00; G06F 17/30

ABSTRACT:

PROBLEM TO BE SOLVED: To improve convenience and efficiency by
finding the station which is closest to a target and its position
and displaying them together with the distance, the direction,
and the necessary time between the target and the nearest
station.

SOLUTION: When a personal computer 100 or portable terminal 200
issues a map guidance request, the map coordinates of the target
are obtained from a target server 520 and the distance,
direction, and necessary time are calculated from the map
coordinates of the target and the nearest station. Further, a
reduced map and an enlarged map of optimum scales are calculated
from the map coordinates of the target and nearest station to
obtain corresponding maps from a map information server 510.
Information on and the positions of the target and the nearest
station are given to the reduced map, which is transferred to the
user side through the Internet 300 together with the enlarged map
given the position of the target. Consequently, the obtained map
information and the distance, direction, and necessary time
between the target and the nearest station are displayed on the
user side.

user side.

COPYRIGHT: (C)1999,JPO

WEST

☐ | Generate Collection |

L38: Entry 96 of 102   File: USPT   Nov 18, 1997

DOCUMENT-IDENTIFIER: US 5689418 A
TITLE: Agricultural communication network

DEPR:
As shown in FIG. 3, RAM memory 42 is partitioned to store a
plurality of digital maps 18 previously described. The plurality
of maps 18 polled and representing conditions on a plurality of
farm fields for a plurality of farmers are all stored in memory
42. For instance, when master system 12 polls a particular dealer
system 14 via Internet for maps, such as all maps which are
indicative of corn yields for 1993, the maps are stored in memory
42. The maps can also be input by inserting diskettes having the
digital maps into disc drive 46 and can then downloaded into
memory 42.

DEPR:
Each farmer also has the ability to generate digital maps using
spreader 17 such as yield maps for their fields. These yield maps
are indicative of the yield from each field location and are
generated during harvesting for each location of a field. Since
the control system 17 resident in the farmer's equipment has a
navigation system (see related invention), the volume or mass of
the harvest sensed as the equipment traverses a field can be
stored into a digital map. This generated yield map can then be
sent by disc or Internet to a particular regional dealer 14 and
stored thereat, and eventually cross-referenced with other maps
including the actual prescription application map, the soil type
maps etc.

WEST

[ ] [Generate Collection]

L38: Entry 101 of 102   File: USPT   Jan 2, 1996

DOCUMENT-IDENTIFIER: US 5481542 A
TITLE: Interactive information services control system

DRPR:
FIG. 5 illustrates the method used to map Internet Protocol (IP)
packets into Message Cells for transmission over the forward and
reverse path signalling interface of the invention.

http://westbrs:8820/bin/gate.exe?f=ffsea...=TI&dbname=USPT,JPAB,EPAB,DWPI,TDBD

DB Name	Query	Hit Count	Set Name
USPT	5559707.pn.	1	L13
USPT,JPAB,EPAB,DWPI,TDBD	l10 and (web browser)	65	L12
USPT,JPAB,EPAB,DWPI,TDBD	l10 and (internet browser)	13	L11
USPT,JPAB,EPAB,DWPI,TDBD	l9 and client	113	L10
USPT,JPAB,EPAB,DWPI,TDBD	l8 and ((map$4 or geographic$4) near7 (data or information or coordinate$1))	261	L9
USPT,JPAB,EPAB,DWPI,TDBD	((map$1 or route or geographic$2) near7 (internet or www or web))	934	L8
USPT,JPAB,EPAB,DWPI,TDBD	((map$1 or route or geographic$2) near7 (interner or www or web))	535	L7
USPT,JPAB,EPAB,DWPI,TDBD	l5 and ((map$4 or geographic$4) near7 (data or ingormation or coordinate$1))	72	L6
USPT,JPAB,EPAB,DWPI,TDBD	(map$4 near5 server or geographic$4 near5 server) same (www or world wide web or web or internet)	196	L5
USPT,JPAB,EPAB,DWPI,TDBD	((client near4 comput$3) near9 (map$4 near5 server or geographic$4 near5 server)) same (www or world wide web or web or internet)	3	L4
USPT	5231584.pn.	1	L3
USPT	5559707.pn.	1	L2
USPT	((client comput$3) near9 (map server or geographic$4 server)) same (www or world wide web or web or internet)	1	L1

USPT	5592172.pn.	1	L48
USPT	4951211.pn.	1	L47
USPT	5937163.pn.	1	L46
USPT	5802299.pn.	1	L45
USPT	5487139.pn.	1	L44
USPT	5604676.pn.	1	L43
USPT	5677837.pn.	1	L42
USPT	5922040.pn.	1	L41
USPT	5758313.pn.	1	L40
USPT	5542087.pn.	1	L39
USPT	(map$1) near7 (www or world wide web or internet)	102	L38
USPT	(electronic$1 map$1) near7 (www or world wide web or internet)	0	L37
USPT	(computer map$1) near7 (www or world wide web or internet)	1	L36
USPT	l33 and geographic$4	1	L35
USPT	l33 and map	1	L34
USPT	5701451.pn.	1	L33
USPT	((map) near4 (data or information)) near9 (web or internet or www)	44	L32
USPT	l30 and (www or internet or web)	1	L31
USPT	5664115.pn.	1	L30
USPT	l28 and (www or internet or web)	1	L29
USPT	5721851.pn.	1	L28
USPT	l26 and (www or internet or web)	0	L27
USPT	5572649.pn.	1	L26
USPT	l24 and (www or internet or web)	0	L25
USPT	5644736.pn.	1	L24
USPT	l22 and (www or internet or web)	0	L23
USPT	5644740.pn.	1	L22
USPT	l20 and (www or internet or web)	0	L21
USPT	5559707.pn.	1	L20
USPT	5564004.pn.	1	L19
USPT	5572649.pn.	1	L18
USPT	5644736.pn.	1	L17
USPT	5644740.pn.	1	L16
USPT,JPAB,EPAB,DWPI,TDBD	l14 and ((map or route) near9 (information or data))	68	L15

USPT,JPAB,EPAB,DWPI,TDBD	19 and (web browser)	89	L14
USPT	5559707.pn.	1	L13
USPT,JPAB,EPAB,DWPI,TDBD	110 and (web browser)	65	L12
USPT,JPAB,EPAB,DWPI,TDBD	110 and (internet browser)	13	L11
USPT,JPAB,EPAB,DWPI,TDBD	19 and client	113	L10
USPT,JPAB,EPAB,DWPI,TDBD	18 and ((map$4 or geographic$4) near7 (data or information or coordinate$1))	261	L9
USPT,JPAB,EPAB,DWPI,TDBD	((map$1 or route or geographic$2) near7 (internet or www or web))	934	L8
USPT,JPAB,EPAB,DWPI,TDBD	((map$1 or route or geographic$2) near7 (interner or www or web))	535	L7
USPT,JPAB,EPAB,DWPI,TDBD	15 and ((map$4 or geographic$4) near7 (data or ingormation or coordinate$1))	72	L6
USPT,JPAB,EPAB,DWPI,TDBD	(map$4 near5 server or geographic$4 near5 server) same (www or world wide web or web or internet)	196	L5
USPT,JPAB,EPAB,DWPI,TDBD	((client near4 comput$3) near9 (map$4 near5 server or geographic$4 near5 server)) same (www or world wide web or web or internet)	3	L4
USPT	5231584.pn.	1	L3
USPT	5559707.pn.	1	L2
USPT	((client comput$3) near9 (map server or geographic$4 server)) same (www or world wide web or web or internet)	1	L1